

RAPIDO

Fleksibilni crijep u mega formatu

- Markantan tradicionalni model velikog XXL formata
- Izuzetna fleksibilnost i jednostavna ugradnja zahvaljujući velikom pomičnom području od 44 mm
- Najbolji omjer cijene i kvalitete s cca. 8,1 kom/m²
- Potporna rebra poboljšavaju statiku i odvod eventualne kondenzirane vode
- „Tehnikom labirint“ s pet posebno oblikovanih i dodatno naglašenih bočnih rebara sprječava se prodor kišnice čak i kod jakog vjetra.




TEHNIČKI PODACI


Dimenzije(cca.)	325 x 502 mm (milimetar)
Min.pokrovna širina(cca.)	277 mm (milimetar)
Srednja pokrovna širina(cca.)	278 mm (milimetar)
Maks.pokrovna širina(cca.)	280 mm (milimetar)
Min.letvanje(cca.)	410 mm (milimetar)
Letvanje preporučeno(cca.)	425 mm (milimetar)
Maks. letvanje(cca.)	440 mm (milimetar)
min. utrošak crijeva (cca.)	8.1 kom/m ² (komada po metru kvadratnom)
Utrošak crijeva prosječno(cca.)	8.4 kom/m ² (komada po metru kvadratnom)
Maks.utrošak crijeva	8.8 kom/m ² (komada po metru kvadratnom)
Masa po komadu(cca.)	5.2 kg/kom (kilograma po komadu)
Masa po m ² (cca.)	43.7 kg/m ² (kilogram po metru kvadratnom)
Masa palete(cca.)	899 kg (kilogram)
BETON I VLAKNO CEMENT	4 kom (komad)
Komada na paleti	168 komad








Sljeme 1




Spoj krova i zida






Sljeme 2




Streha 1






Streha 2




Jednostresni krov





Signum



Antena



