

## RAPIDO

Fleksibilni crijep u mega formatu

- Markantan tradicionalni model velikog XXL formata
- Izuzetna fleksibilnost i jednostavna ugradnja zahvaljujući velikom pomičnom području od 44 mm
- Najbolji omjer cijene i kvalitete s cca. 8,1 kom/m<sup>2</sup>
- Potporna rebra poboljšavaju statiku i odvod eventualne kondenzirane vode
- „Tehnikom labirint“ s pet posebno oblikovanih i dodatno naglašenih bočnih rebara sprječava se prodor kišnice čak i kod jakog vjetrova.



**TEHNIČKI PODACI**

Dimenzije(cca.)	325 x 502 mm (milimetar )
Min.pokrovna širina(cca.)	277 mm (milimetar )
Srednja pokrovna širina(cca.)	278 mm (milimetar )
Maks.pokrovna širina(cca.)	280 mm (milimetar )
Min.letvanje(cca.)	410 mm (milimetar )
Letvanje preporučeno(cca.)	425 mm (milimetar )
Maks. letvanje(cca.)	440 mm (milimetar )
min. utrošak crijeva (cca.)	8.1 kom/m <sup>2</sup> (komada po metru kvadratnom)
Utrošak crijeva prosječno(cca.)	8.4 kom/m <sup>2</sup> (komada po metru kvadratnom)
Maks.utrošak crijeva	8.8 kom/m <sup>2</sup> (komada po metru kvadratnom)
Masa po komadu(cca.)	5.2 kg/kom (kilograma po komadu)
Masa po m <sup>2</sup> (cca.)	43.7 kg/m <sup>2</sup> (kilogram po metru kvadratnom )
Masa palete(cca.)	899 kg (kilogram)
BETON I VLAKNO CEMENT	4 kom (komad )
Komada na paleti	168 komad




## LAF-/FLA VRIJEDNOSTI

LAF-/FLA VRIJEDNOSTI U MM SA FALCOM ZA 30X50 LETVE											
DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	
LAF	75	70	70	65	60	60	60	60	60	55	
FLA	110	95	85	75	65	60	50	35	30	30	


LAF-/FLA VRIJEDNOSTI U MM SA FALCOM ZA 40X60 LETVE											
DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	
LAF	75	70	70	60	55	55	55	50	45	40	
FLA	120	105	95	85	75	70	60	45	40	20	

LAF-/FLA VRIJEDNOSTI U MM SA FALCOM ZA 50X50 LETVE											
DN	10°	15°	20°	25°	30°	35°	40°	45°	50°	55°	
LAF	70	65	65	55	50	45	45	40	35	30	
FLA	125	115	105	95	85	85	75	60	60	50	






Sljeme 1




Spoj krova i zida






Sljeme 2




Streha 1






Streha 2




Jednostresni krov





Signum

---



Antena

---



